

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("7,076491").PN.	USPAT; USOCR	OR	OFF	2008/04/24 16:24
L2	0	file\$3 with array-typ\$3 same user\$3 same home with controll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:29
L3	0	file\$3 with array with typ \$3 same user\$3 same home with controll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:30
L4	3	file\$3 with array with typ \$3 same user\$3 & home with controll\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:31
L5	21	file\$3 with array with (generat\$3 or controll \$3) same user\$3 & applan\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:34
L6	320	file\$3 with array with (generat\$3 or controll \$3) same user\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:38
L7	25	(file\$3 with array with (generat\$3 or controll \$3) same user\$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:39
L8	2	("20050033900").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:42

L9	2	("6789040").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:44
L10	0	9 & (file\$3 with array with (generat\$3 or control\$3) same user \$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:48
L11	0	9 & (file\$3 with array with (generat\$3 or creat \$3) same user\$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:48
L12	0	9 & (file\$3 with array with (generat\$3 or creat \$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:48
L13	25	(file\$3 with array with (generat\$3 or controll \$3) same user\$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:49
L14	27	(file\$3 with array with (generat\$3 or creat\$3) same user\$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:49
L15	58	(file\$3 with array with (generat\$3 or creat\$3 or built\$3) same user\$3) & home\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:54
L16	217	(file\$3 near6 array with (generat\$3 or creat\$3 or built\$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 16:59

L17	76	(file\$3 near6 array with (generat\$3 or creat\$3 or built\$3) with user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:00
L18	22	(file\$3 with array with (generat\$3 or creat\$3 or built\$3) same user\$3) & appliance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:04
L19	22	(file\$3 with array with (generat\$3 or creat\$3 or built\$3) same user\$3) & appliance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:04
L20	141	(file\$3 with array with (generat\$3 or creat\$3 or built\$3) same user\$3) & manufacture\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:07
L21	24	(file\$3 with array with (generat\$3 or creat\$3 or built\$3) same user\$3) same manufacture\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:07
L22	88	(file\$3 near6 array with (generat\$3 or creat\$3 or built\$3) same user\$3) & manufacture\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:11
L23	40	(file\$3 near6 array with (generat\$3 or creat\$3 or built\$3) same user\$3 with input\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 17:12
L24	0	(709/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:18

L25	1043	(719/310).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L26	7287	(709/223).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L27	0	26 & (file\$3 near6 array with (generat\$3 or creat \$3 or built\$3) same user \$3 with input\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L28	25	6 & (file\$3 with array with (generat\$3 or control\$3) same user \$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:19
L29	0	25 & (file\$3 near6 array with (generat\$3 or creat \$3 or built\$3) same user \$3 with input\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L30	0	26 & (file\$3 near6 array with (generat\$3 or creat \$3 or built\$3) same user \$3 with input\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L31	0	25 & (file\$3 with array with (generat\$3 or creat \$3 or built\$3) same user \$3) & appliance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L32	0	26 & (file\$3 with array with (generat\$3 or creat \$3 or built\$3) same user \$3) & appliance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20

L33	0	25 & (file\$3 with array with (generat\$3 or controll\$3) same user \$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L34	1	26 & (file\$3 with array with (generat\$3 or controll\$3) same user \$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:20
L35	1	25 & (file\$3 with array with (generat\$3 or creat\$3 or built\$3) same user \$3) & manufacture\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:21
L36	3	26 & (file\$3 with array with (generat\$3 or creat\$3 or built\$3) same user \$3) & manufacture\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:21
L37	155	26 & (file\$3 with (generat\$3 or creat\$3 or built\$3) same user\$3) & appliance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:21
L38	535	26 & (file\$3 with (generat\$3 or creat\$3 or built\$3) with user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L39	155	26 & (file\$3 with (generat\$3 or creat\$3 or built\$3) same user\$3) & appliance\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L40	1	26 & (file\$3 with array with (generat\$3 or creat\$3) same user\$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22

L41	0	25 & (file\$3 with array with (generat\$3 or creat \$3) same user\$3).AB.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L42	1	25 & (file\$3 with array with (generat\$3 or creat \$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L43	4	26 & (file\$3 with array with (generat\$3 or creat \$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:22
L44	84	25 & (file\$3 with (generat\$3 or controll \$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:23
L45	151	25 & (file\$3 SAME (generat\$3 or controll \$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:23
L46	81018	(file\$3 SAME (generat \$3 or controll\$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:24
L47	42723	(file\$3 WITH (generat \$3 or controll\$3) same user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:24
L48	100873	(file\$3 WITH (generat \$3 or controll\$3) & user \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:24

L49	224	25 & (file\$3 WITH (generat\$3 or controll \$3) & user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:25
L50	1354	26 & (file\$3 WITH (generat\$3 or controll \$3) & user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:25
L51	1	26 & (file\$3 near6 array same user\$3 with input \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:25
L52	0	25 & (file\$3 near6 array same user\$3 with input \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:26
L53	64	25 & (file\$3 same user \$3 with input\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:26
L54	419	26 & (file\$3 same user \$3 with input\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:26
L55	0	25 & (file\$3 near6 array with (generat\$3 or creat \$3 or built\$3) same user \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:27
L56	3	26 & (file\$3 near6 array with (generat\$3 or creat \$3 or built\$3) same user \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:27

L57	224	25 & (file\$3 WITH (generat\$3 or controll \$3) & user\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:28
L58	63	26 & (FILE\$3 WITH (generat\$3 or controll \$3) SAME user\$3 SAME different\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:29
L59	10	25 & (FILE\$3 WITH (generat\$3 or controll \$3) SAME user\$3 SAME different\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:29
L60	20	25 & (FILE\$3 same (generat\$3 or controll \$3) SAME user\$3 SAME different\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/24 18:29

4/ 24/ 2008 6:30:05 PM

C:\Documents and Settings\ltruong3\My Documents\EAST\Workspaces\11849121.wsp